

TRUCK OVERVIEW

Counterbalance and Warehouse Trucks



Here you can find more content via your smartphone: [Linde Augmented Reality App](#)



STACKING

Electric Counterbalance Trucks



Series 386

E12 – E20 EVO
E-Truck, Three Wheel
Capacity: 1.2 t – 2.0 t
Variants: C, L, H

PB ION H2
Ex



Series 386

E16 – E20 EVO
E-Truck
Capacity: 1.6 t – 2.0 t
Variants: P, PH, PL, PHL

PB ION H2
Ex



Series 387

E20 – E35
E-Truck
Capacity: 2.0 t – 3.5 t
Variants: H, L, HL

PB ION H2
Ex



Series 387

E20 – E35 R
E-Truck
Capacity: 2.5 t – 3.5 t
Variants: H, L, HL

PB ION H2



Series 388

E35 – E50
E-Truck
Capacity: 3.5 t – 5.0 t
Variants: H, L, HL

PB ION H2
Ex



Series 1279

E60 – E80
E-Truck
Capacity: 6.0 t – 8.0 t

PB ION

E: Electric Counterbalance Truck
EVO: Evolution
R: Roadster

C: compact
H: high chassis

L: long chassis
P: four-wheel configuration

Internal Combustion Engine Counterbalance Trucks



H14 – H20 EVO
IC-Truck
Capacity: 1.4 t – 2.0 t

DIESEL LPG CNG

Series 391



H20 – H25 EVO
IC-Truck
Capacity: 2.0 t – 2.5 t

DIESEL LPG CNG

Series 392



H25 – H35 EVO
IC-Truck
Capacity: 2.5 t – 3.5 t

DIESEL LPG CNG

Series 393



H40 – H50 EVO
IC-Truck
Capacity: 4.0 t – 5.0 t

DIESEL LPG CNG

Series 394



H50 – H80 EVO
IC-Truck
Capacity: 5.0 t – 8.0 t

DIESEL LPG
EX

Series 396

Heavy Trucks



H100 – H180
Heavy Truck, Hydrostatic Drive
Capacity: 10.0 t – 18.0 t

DIESEL

Series 1401



HT100 – HT180
Heavy Truck, Hydrodynamic Drive
Capacity: 10.0 t – 18.0 t

DIESEL















Series 1411

H: Internal combustion engine powered counterbalance truck with hydrostatic drive
HT: Internal combustion engine powered counterbalance truck with torque converter


IC: internal combustion engine

TRANSPORTING












Pallet Trucks

 Series 033	M25 Hand Pallet Truck Capacity: 2.5 t Variants: Scale+, INOX <div>Ex</div>	 Series 033	M10 X Hand Pallet Truck, Scissor Lift Capacity: 1.0 t Variants: XE <div>PB</div>	 Series 1130	CiTi One Light Pedestrian Pallet Truck Capacity: 0.5 t <div>PIEK</div>
 Series 1131	MT12 Light Pedestrian Pallet Truck Capacity: 1.2 t <div>ION</div>	 Series 1133	MT15 Light Pedestrian Pallet Truck Capacity: 1.5 t <div>PB</div>		
 Series 1152	T16 – T20 Pedestrian Pallet Truck Capacity: 1.6 t – 2.0 t Variants: L <div>PB ION H2 Ex</div> <div>PIEK</div>	 Series 1153	T25 – T30 Pedestrian Pallet Truck Capacity: 2.5 t – 3.0 t <div>PB ION</div>	 Series 1151	T16 – T20 P Stand-on Pallet Truck Capacity: 1.6 t – 2.0 t <div>PB</div>
 Series 1153	T20 – T25 AP Stand-on Pallet Truck Capacity: 2.0 t – 2.5 t <div>PB ION</div>	 Series 131	T20 – T25 AP SP Stand-on Pallet Truck Capacity: 2.0 t – 2.5 t Variants: B <div>PB ION H2 Ex</div>	 Series 131	T-MATIC Automated Truck Capacity: 3.0 t <div>PB ION MATIC</div>
 Series 1154	T14 – T25 S Stand-on Pallet Truck Capacity: 1.4 t – 2.5 t Variants: SF <div>PB ION H2</div>	 Series 1154	T20 – T25 R Sit-on Pallet Truck Capacity: 2.0 t – 2.5 t Variants: SR <div>PB ION H2</div>	 Series 1154	T20 – T25 RW Sit-on Pallet Truck Capacity: 2.0 t – 2.5 t <div>PB ION H2</div>
M: Hand Pallet Truck MT: Pallet Truck (Light Range) T: Pallet Truck	AP: foldable platform B: best value INOX: stainless steel	L: low lift P: platform R: sit-on	S/SR: stand-on crosswise position SF: stand-on front position Scale+: additional scale	SP: fixed platform W: wide version X: scissor lift	XE: electric lift

Load Train Solutions






 Series 8970	LT08 – LT20 Logistic Train Capacity: 0.8 t – 2.0 t Variants: B
LT: Logistic Train	B: bridge type frame without or with center support for two load units

Tow Tractors

 Series 8902	C-MATIC Automated Guided Cart Capacity: 0.65 t <div>PB MATIC</div>	 Series 8904	MP13 Light Pedestrian Tow Tractor Capacity: 1.3 t <div>PB</div>	 Series 1193	P20 Stand-on Tow Tractor Capacity: 2.0 t <div>PB</div>
 Series 1193	W04 Stand-on Tow Tractor Capacity: 0.4 t <div>PB</div>	 Series 132	P30 Stand-on Tow Tractor Capacity: 3.0 t <div>PB H2</div>	 Series 1190	P30 – P50 C Stand-on Tow Tractor Capacity: 3.0 t – 5.0 t <div>PB ION H2 MATIC</div>
 Series 131	P50 Pedestrian Tow Tractor Capacity: 5.0 t <div>PB H2</div>	 Series 1191	P60 – P80 Sit-on Tow Tractor Capacity: 6.0 t – 8.0 t <div>PB</div>	 Series 1191	W08 Sit-on Platform Tractor Capacity: 0.8 t <div>PB</div>
 Series 127	P250 Sit-on Tow Tractor Capacity: 25.0 t Variants: SWB, LWB <div>PB</div>	 Series 127	W20 Sit-on Platform Tractor Capacity: 2.0 t Variants: SWB, LWB <div>PB</div>		
C: Turtle MP: Tow Tractor (Light Range) P: Tow Tractor W: Platform Tractor C: compact LWB: long wheelbase SWB: short wheelbase					

STORAGE

Reach Trucks

 Series 1120	R10 – R16 B Reach Truck Capacity: 1.0 t – 1.6 t <div>PB ION</div>	 Series 1120	R10 – R25 Reach Truck Capacity: 1.0 t – 2.5 t Variants: HD, W, N <div>PB ION H2 EX MATIC</div>	 Series 1120	R14 – R20 G Rough Terrain Reach Truck Capacity: 1.4 t – 2.0 t <div>PB ION H2</div>
 Series 116	R14 – R17 X Compact Reach Truck Capacity: 1.4 t – 1.7 t Variants: high, HD <div>PB</div>	 Series 8923	R20 – R25 F Four Way Reach Truck Capacity: 2.0 t – 2.5 t <div>PB</div>		
R: Reach Truck B: basic F: four way G: rough terrain HD: heavy duty N: narrow version W: wide version X: X-range					

Pallet Stackers



MM10 | ML10
Light Pallet Stacker
Capacity: 1.0 t
Variants: i

PB

Series 1167



L10 – L12
Pedestrian Pallet Stacker
Capacity: 1.0 t – 1.2 t
Variants: B, i

PB ION
Ex

Series 1172



L14 – L20
Pedestrian Pallet Stacker
Capacity: 1.4 t – 2.0 t
Variants: AP

PB ION H2
Ex

Series 1173



L14 C
Pedestrian Pallet Stacker
Capacity: 1.4 t

PB

Series 1169



L14 P
Stand-on Pallet Stacker
Capacity: 1.4 t

PB

Series 1169



L12 AP | L12 – L14 SP
Stand-on Pallet Stacker
Capacity: 1.2 t – 1.4 t

PB ION H2

Series 133



L14 – L16 R
Sit-on Pallet Stacker
Capacity: 1.4 t – 1.6 t

PB ION H2

Series 1174



L14 – L16 RW
Sit-on Pallet Stacker
Capacity: 1.4 t – 1.6 t

PB ION H2

Series 1174



L06 – L16 AC
Pedestrian Counterbalanced
Pallet Stacker
Capacity: 0.6 t – 1.6 t

PB
MATK

Series 1170



L10 – L12 AS
Pedestrian Straddle
Pallet Stacker
Capacity: 1.0 t – 1.2 t

PB
Ex

Series 1172



L14 – L16 AS
Pedestrian Straddle
Pallet Stacker
Capacity: 1.4 t – 1.6 t
Variants: AP, SP

PB

Series 131



D06 – D08
Pedestrian Double Pallet Stacker
Capacity: 0.6 t – 0.8 t

PB ION H2

Series 1160



D10
Pedestrian Double Pallet Stacker
Capacity: 1.0 t
Variants: AP, B

PB ION

Series 1163



D12 – D14
Pedestrian Double Pallet Stacker
Capacity: 1.2 t – 1.4 t
Variants: AP, SP, HP

PB ION H2
Ex MATK

Series 133



D12 S
Stand-on Double Pallet Stacker
Capacity: 1.2 t
Variants: SF

PB ION H2

Series 1164



D12 R
Sit-on Double Pallet Stacker
Capacity: 1.2 t

PB ION H2

Series 1164



D12 RW
Sit-on Double Pallet Stacker
Capacity: 1.2 t

PB ION H2

Series 1164



L03 EX
Pedestrian Pallet Stacker
Capacity: 0.3 t

PB
Ex

Series 1172

D: Double Pallet Stacker
L: Pallet Stacker
MM: Pallet Stacker (Light Range, Monomast)
ML: Pallet Stacker (Light Range)

AC: counterbalanced-version
AP: foldable platform
AS: straddle version
B: best value

C: compact
HP: high performance
i: initial lift
P: platform

R: sit-on
S: stand-on
SF: stand-on front position
SP: fixed platform

W: wide version

Very Narrow Aisle Trucks



Series 5022

A
VNA Turret Truck, Man-down
Capacity: 1.35 t

PB



Series 5231

K
VNA Combination Turret Truck, Man-up
Capacity: 1.5 t

PB ION
MATIC

A: Turret Truck for full pallet handling
K: Combination Turret Truck for full pallet handling and order picking

VNA: very narrow aisle

ORDER PICKING

Order Pickers



Series 132

N20 – N24
Low-level Order Picker
Capacity: 2.0 t – 2.4 t
Variants: B, HP

PB ION H2



Series 132

N20 L
Low-level Order Picker
Capacity: 2.0 t
Variants: Li, LoL

PB ION H2



Series 1111

N20 C
Low-level Order Picker
Capacity: 2.0 t
Variants: HP

PB ION



Series 1111

N20 Vi
Low-level Order Picker, Man-up
Capacity: 2.0 t
Variants: VLi

PB



Series 1110

V08
Low-level Order Picker, Man-up
Capacity: 0.7 t – 1.0 t

PB ION



Series 5021

V10
Mid-level Order Picker, Man-up
Capacity: 1.0 t

PB



Series 5213

V
High-level Order Picker, Man-up
Capacity: 1.2 t

PB ION

N: Low-Level Order Picker
V: Modular Order Picker
B: best value
C: compact
HP: high performance
i: initial lift
L: low lift
LoL: long load arms
V: lifttable driver compartment

Batteries and Chargers

We offer matching batteries and chargers for our entire range of warehouse and electric trucks.

PB Available with lead acid batteries

ION Available with LI-ION batteries

H2 Available with fuel cell as customized option

Ex Available as explosion protected truck

PIEK PIEK certificated. Low noise pollution, max. 60dB(A)

DIESEL Available with diesel drive

LPG Available with fuel gas drive

CNG Available with natural gas drive

MATIC Available as automated truck

Linde Material Handling GmbH, a KION Group company, is a leading global manufacturer of forklift trucks and warehouse trucks, and a solutions and service provider for intralogistics. With a sales and service network that spans more than 100 countries, the company is represented in all major regions around the world.

Linde – for your performance



Linde Material Handling GmbH

Carl-von-Linde-Platz | 63743 Aschaffenburg | Germany
Phone +49 6021 99 0 | Fax +49 6021 99 1570
www.linde-mh.com | info@linde-mh.com

Printed in Germany